



Huawei P9 Lite Rear Camera Replacement

Replace the rear camera in your Huawei P9 Lite

Written By: Tobias Isakeit



INTRODUCTION


Use this guide to replace the rear camera in your Huawei P9 Lite.

Step 1 — Back Cover




- Start on the bottom left corner of the back cover with an opening pick.
- Work your way around counterclockwise and carefully pry the plastic tabs open one by one.

Step 2





- When reaching the top right corner of the phone switch to a plastic card.
- ❗ There is adhesive underneath the back cover that holds it to the battery and the metal plate at the top.
- ⚠ Be careful with the flex cable at the right hand side.
- Use the plastic card to lever the back cover away and loosen it from the adhesive.

Step 3





- When the back cover is freed from the adhesive you can pop it off by hand completely.

Step 4 — Fingerprint Sensor



- Loosen the 9 Phillips #00 screws that hold the metal plate with the sensor.
 - ⓘ If there are any water indicators on top of the screws, take them off and set them aside.
- Unplug the fingerprint sensor connector from the motherboard.
 - ⚠ Don't take away the plate, yet. The NFC antenna is still glued to it.
- Peel off the the flex cable of the NFC antenna that is adhered to the metal plate.

Step 5 — Rear Camera



- Release the rear camera connector.
- Take the camera out of its recess.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-18 04:56:09 PM.